

7. Ibid., p. 127.
8. Chilingar, et al., Developments in Sedimentology no. 9A, p. 235-236.
9. P. A. Scholle, "Diagenesis of Upper Cretaceous Chalks from England, Northern Ireland, and the North Sea," in Pelagic Sediments on Land and Under the Sea, International Association of Sedimentologists, Special Publication no. 1, 1974, p. 177-210.
10. Wm. Wertenbaker, The Floor of the Sea, 1974, p. 103-104.
11. Ibid., p. 66-127.
12. A. Kaneps, "Deep Sea Drilling Project," Geotimes, v. 21, January 1976, p. 16.
13. For a convenient, popular description of the research vessel, equipment, and work of this project, see S. W. Matthews, "This Changing Earth," National Geographic, v. 143, January 1973, p. 1-36.
14. H. W. Menard, Marine Geology of the Pacific, 1964, p. 34.
15. Gross, Oceanography, p. 61, 127.
16. F. P. Shepard, The Earth Beneath the Sea, 1967, p. 177.
17. Gross, Oceanography, p. 127.
18. Shepard, The Earth Beneath, p. 176.
Initial Reports of the Deep Sea Drilling Project, volumes 2, 3, 4, 12, and 14.
Geotimes, v. 19 (1974), November, p. 16-18; v. 20 (1975), March, p. 26-28, June, p. 22-24, July, p. 18-21, December, p. 18-21; v. 21 (1976), February, p. 23-26.
19. Volumes 2, 3, 4, 12, and 14 (reporting on the deeper Atlantic drillings) have been published as of December 1976, and future volumes no. 36, 37, 39, 40, 41, 43, and 44 will deal with other parts of the Atlantic.
20. Harry E. Cook, "North American Stratigraphic Principles as Applied to Deep-Sea Sediments," American Association of Petroleum Geologists Bulletin, v. 59 (1975), p. 824.
21. B. C. Heezen and I. D. MacGregor, "The Evolution of the Pacific," Scientific American, v. 229, November 1973, p. 105.
It now seems evident that the primary reason for the greater thicknesses of sediments in the western Pacific, as compared with the eastern, is that the spreading center at which new ocean floor is formed is on the eastern side (along the East Pacific Ridge). As new floor is formed it moves westward. Thus the older floor is in the west, and has had more time to receive sediments than that of the east or central Pacific floor.